




ISS.	AMEND	DATE
1	1st DRAWN	21/11/12
2	MAT + SPEC ADD	04/08/14
3	ERR 1400V WAS W	12/12/14



ITEM	MATERIAL	FINISH
1	COPPER ALLOY	SILVER PLATED
2	POLYAMIDE	BLACK
3	PC	BLACK
4	POLYAMIDE	BLACK
5	PC	BLACK
6	ABS	BLACK
7	ABS	BLUE
8	PVC	BLACK



NOTE: 1st ANGLE PROJECTION

SPECIFICATIONS	
Withstanding Voltage	≥ 1400V
Insulation Resistance	≥ 1G Ω
Contact Resistance	≤ 3m Ω
Solderability	≤ 3S
Insertion Force	10-80N
Minimum Life	≥ 2000

RoHS
COMPLIANT

TOLERANCE
 NO DEC. PLACE ±
 1 DEC. PLACE ±
 2 DEC. PLACE ±
 HOLE Ø ±
 ANGLES ±
 UNLESS OTHERWISE STATED

DO NOT SCALE

Cliff Electronic Components Ltd.
 76 Holmehorpe Avenue, Holmehorpe Industrial Estate,
 Redhill, Surrey, RH1 2PF, England, UK
 Tel: 01737-771375 Fax: 01737-766012 Website: www.cliffuk.co.uk

DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE STATED. WORK TO DIMENSIONS. REMOVE ALL BURRS. IF IN DOUBT ASK.

1st ANGLE PROJECTION:

MATERIAL: COMPOSITE
 FINISH: CLEAN - BLACK (BLUE NUT)

TITLE: CLIFFCON-S 4 POLE CABLE SOCKET

THE CONTENTS OF THIS DOCUMENT MUST NOT BE COPIED OR DISCLOSED TO A 3rd PARTY WITHOUT WRITTEN PERMISSION OF CLIFF UK. © 2012

DRAWN: T.J.O.

APPROVED: D.P.J.

DRWG. No. **FM1255**

FORM: A4DRWGH